

SeamX QTO-1


Brushed aluminum expansion joint cover system

Product Description

SeamX QTO-1

is an aluminum floor cover system consisting of dual extruded aluminum frames, designed for integration with

Polybit sealing technologies to ensure reliable seal performance.



BASIC USES

- Floor expansion joint cover for pedestrian traffic areas
- Designed to accommodate movement at joints
- Surface-mount type for easy installation

SYSTEM COMPONENTS

- Extruded aluminum profiles
- Integrated sealing system designed for Polybit sealing technologies

FINISHES

- Aluminum: Anodised finish

SeamX QTO-1

INSTALLATION REQUIREMENTS

- Appropriate mechanical fasteners and alignment components are required to ensure proper installation and system performance in coordination with Polybit sealing technologies.
-

LIMITATIONS

- Joint width of SeamX QTO-1 expansion joint cover sections is 25-50 mm.
-

SYSTEM PERFORMANCE

The SeamX QTO-1 expansion joint cover system is designed to accommodate floor movement while maintaining reliable joint integrity and sealing performance.

Optimal performance is achieved when installed according to approved installation requirements and in coordination with Polybit sealing technologies.

WARRANTY

- SeamX systems are supplied as part of an integrated joint cover solution. Performance and reliability are ensured when installed according to approved installation requirements and in coordination with Polybit sealing technologies. Warranty provisions apply to the installed system.

SeamX QTO-1

NOTE

System configuration may vary depending on joint width and project specifications.

Elesseily - Polybit CMT
Construction Chemicals & Joint Sealing Technologies

39 Makram Ebeid St
Nasr City
Egypt

Elesseily Global LLC
2105 Vista Oeste NW
Suite E #3236
Albuquerque, NM 87120
USA



Seamx.elesseily.com



+201001002411



5/15 Arab Engineers, Belbeis Desert Road